KREE and the Karmakar Tensor $\Lambda^{\mathrm{SK}}_{\mu\nu}$

A Unified Theoretical Model of Relativistic Energy Feedback

Souvik Karmakar
Age: 12
Class: 7

Contents

1 Introduction **2**

2 Einstein's Relativistic Kinetic Energy **2**

3 KREE: Modified Kinetic Energy Equation **2**

4 Graphical Comparison **2**

5 What is a Tensor? **2**

6 Definition of the Karmakar Tensor $\Lambda^{\mathbf{SK}}_{\mu\nu}$ **3**

7 Tensor Algebra Review **4**

8 Theory and Thought Experiments **4**

9 Future Ideas **4**

10 Conclusion **4**

1 Introduction

This paper presents the full structure of the **Karmakar Relativistic Energy Equation (KREE)** along with a detailed definition of the newly introduced **Karmakar Tensor** $\Lambda^{\text{SK}}_{\mu\nu}$.

It builds upon the published paper: *"KREE: Karmakar Relativistic Energy Equation"*, DOI: 10.5281/zenodo.15868426

—

2 Einstein's Relativistic Kinetic Energy

Einstein's equation for kinetic energy is:

$$K = mc^2 \left(\frac{1}{\sqrt{1 - \frac{v^2}{c^2}}} - 1 \right)$$

It explains how energy increases with speed, but does not account for any feedback from spacetime itself.

—

3 KREE: Modified Kinetic Energy Equation

The Karmakar Relativistic Energy Equation (KREE) adds a correction factor:

$$K_{\text{KREE}} = mc^2 \left(\frac{1}{\sqrt{1 - \frac{v^2}{c^2}}} - 1 \right) \left(1 + \frac{\Lambda^{\text{SK}}_{\mu\nu} v^\mu v^\nu}{c^2 - v^2} \right)$$

This tensor term grows at high velocities and reflects spacetime resistance.

—

4 Graphical Comparison

[Insert your graph comparing KREE and Einstein equations here.]

—

5 What is a Tensor?

A tensor generalizes scalars and vectors to describe physical properties across dimensions.

- Scalar (0th rank): T
- Vector (1st rank): T_i
- Matrix (2nd rank): T_{ij}

Tensors can transform across coordinate systems and are key to general relativity, electromagnetism, and fluid dynamics.

—

6 Definition of the Karmakar Tensor $\Lambda^{\mathbf{SK}}_{\mu\nu}$

This tensor is symmetric and 2nd-rank, introduced to reflect feedback between motion and spacetime:

$$\Lambda^{\mathrm{SK}}_{\mu\nu} = \begin{bmatrix} \Lambda_{00} & \Lambda_{01} & \Lambda_{02} & \Lambda_{03} \\ \Lambda_{10} & \Lambda_{11} & \Lambda_{12} & \Lambda_{13} \\ \Lambda_{20} & \Lambda_{21} & \Lambda_{22} & \Lambda_{23} \\ \Lambda_{30} & \Lambda_{31} & \Lambda_{32} & \Lambda_{33} \end{bmatrix}$$

Each component may depend on velocity, position, or curvature.

—

Purpose and Innovation

The **Karmakar Tensor** $\Lambda^{\mathrm{SK}}_{\mu\nu}$ was introduced to explore how spacetime might not only shape motion (as in general relativity) but also *respond to it energetically* at relativistic velocities.

This tensor modifies the relativistic kinetic energy equation to include a feedback interaction between an object's velocity and the spacetime fabric it moves through.

Key Innovations

- **Extends Einstein's kinetic energy model** without violating its core relativistic structure.
- **Introduces a tensor-based correction** that scales energy based on the 4-velocity and spacetime coupling.
- **Suggests a new physical interpretation:** motion through spacetime may be influenced by dynamic resistance.
- **Original contribution:** no previous theory has applied such a tensor to directly modify relativistic kinetic energy.

This represents a conceptual shift in energy modeling — from treating kinetic energy as only a function of motion, to viewing it as a dynamic interaction between motion and the geometry of spacetime itself, as encoded in $\Lambda^{\mathrm{SK}}_{\mu\nu}$.

This offers a conceptual shift: energy as a response from space, not just movement through it.

—

7 Tensor Algebra Review

An example of how the contraction of the tensor occurs:

$$A^{\mathrm{SK}}_{\mu\nu} v^\mu v^\nu = \sum_{\mu=0}^{3} \sum_{\nu=0}^{3} A^{\mathrm{SK}}_{\mu\nu} v^\mu v^\nu$$

—

8 Theory and Thought Experiments

Spacetime Resistance: Imagine moving through honey. As speed increases, the honey resists more. Similarly, $\Lambda^{\mathrm{SK}}_{\mu\nu}$ adds resistance from spacetime.

—

9 Future Ideas

- Apply KREE to high-energy particle data.
- Link $\Lambda^{\mathrm{SK}}_{\mu\nu}$ to Einstein's curvature tensors like $R_{\mu\nu}$.
- Simulate feedback in dynamic spacetime geometries.

—

10 Conclusion

KREE is a novel extension to relativistic energy. It proposes that at near-light speeds, spacetime responds — and this response is encoded via the Karmakar Tensor.

—

Author

Souvik Karmakar
Age: 12
Class: 7